Entered in DB 5/27/04 /

City of Fresno Water Division

2003 Lead & Copper Test Results

CITY OF FRESNO WATER DIVISION LEAD AND COPPER RULE COMPLIANCE MONITORING RESULTS OF SUMMER 2003 MONITORING

INTRODUCTION

The United States Environmental Protection Agency (USEPA) promulgated National Primary Drinking Water Regulations for lead and copper monitoring on June 7, 1991, (56 FR26460), commonly referred to as the Lead and Copper Rule. This Rule requires that the City of Fresno monitor the water distribution system from the source to the point of delivery at the consumer's tap. Three specific monitoring protocols are included in the Lead and Copper Rule regulations:

- 1) First draw tap water monitoring for lead and copper
- 2) distribution system monitoring for various water quality parameters, and
- 3) source water monitoring for lead, copper, and various water quality parameters.

For the purposes of the Lead and Copper Rule monitoring requirements, the City of Fresno is classified as a large public water supplier. This classification is based upon the City's 115,000 service connections which supply potable water to some 498,500 customers.

SAMPLE SITE SELECTION

The City of Fresno utilized the same Tier 1-C sample pool of 131 original residences which were selected for the initial two years of testing. Two rounds of sampling and analysis for lead and copper were required for 1993 whereas only one round was required for 1994. Eighteen of the residences were not sampled for 1994; two residents had installed water filtration/softening

devices, seven residents could not be contacted, and nine chose not to participate in this sampling. One resident had moved into an adjacent dwelling which met all the criteria for a sample site and was thus added to the sample pool. Samples were thus collected for 114 sites in the sample 1994 pool.

Per the direction of the State of California Department of Health Services, Office of Drinking Water (who presently govern the Lead and Copper Rule) the 1996, 1999, and 2003 sampling were reduced to fifty (50) representative sites from within the original sample pool of residences. Sites were randomly selected from each tract in an attempt to maintain equal sample percentages in accordance with previous sampling. Unfortunately not all sites selected for the 2003 sampling chose to participate. The final tract percentages are outlined below.

TRACT	ENTIRE POOL %	1996 SAMPLE %	1999 SAMPLE %	2003 %
A	03%	08%	06%	06%
В	34%	30%	32%	30%
C	31%	30%	24%	30%
D	18%	18%	18%	16%
E	12%	14%	18%	16%
F	02%	00%	02%	02%
TOTAL	100%	100%	100%	100%

Exhibit 1 presents the completed Sample Site Justification/Collection Method Certification Form from the Lead and Copper Rule Guidance Manual. The residents performing the tap water

sampling are listed in Table 1. Water quality sampling was performed at eighteen source locations and fifteen distribution system locations. These water quality sample locations are in the same areas as the tap water sample sites and represent the sources and distribution system for all the tap water sample sites in the 2003 Tier 1-C sample pool. The locations of the water quality sample sites are listed in Table 2.

SAMPLE COLLECTION

The City of Fresno collected their 2003 samples in compliance with the Lead and Copper Rule during the period June 18 - August 5, 2003 (90% collected by June 27th). Residents collecting tap water samples were given written instructions (Exhibit 2) along with their sample bottle.

TAP WATER SAMPLE RESULTS

Table 3 presents the results of the tap water analysis for lead and copper. The table lists the lead and copper concentrations in descending order. This was done in order to determine the 90th percentile levels as required by the Lead and Copper Rule.

Lead Results

The 90th percentile lead level was determined by multiplying the number of samples taken by 0.9 (50 x 0.9 = 45). The 90th percentile lead level for the City of Fresno samples is 0.0025 mg/L which is below the EPA action level of 0.015 mg/L. The laboratory analysis detection limit for lead is the following: values less than 0.001 mg/L are reported as 0 (zero); values between 0.0010 and 0.0049 are reported as 0.0025 mg/L; values greater than 0.005 mg/L are reported directly.

Copper Results

The 90th percentile copper level was determined in the same way as for lead. The 90th percentile copper level for the City of Fresno is 0.25 mg/L which is below the EPA action level of 1.3 mg/L. The laboratory analysis detection limit for copper is the following: values less than 0.01 mg/L are reported as 0 (zero); values between 0.010 and 0.049 mg/L are reported as 0.025 mg/L; values greater than 0.05 mg/L are reported directly.

DISTRIBUTION SYSTEM AND SOURCE SAMPLE RESULTS

Water quality analysis was performed on fifteen distribution system locations and twenty points of entry to the distribution system. These results are summarized in Table 2.

Both the lead and copper concentrations of the source water and distribution system at these sample locations are significantly below the EPA/DHS action level. The laboratory analysis detection limit for both lead and copper have both been previously explained.

FUTURE LEAD AND COPPER MONITORING

Upon completion of this fifth year of sampling for the Lead and Copper Rule, the City of Fresno's water distribution system continues to be significantly below the EPA/DHS action level. Accordingly, it is interpreted that the next round of testing be resumed in the summer of 2006, to monitor lead and copper for the EPA/DHS.

h:\prd\leadcopr\03result

TABLE 1 TAP WATER SAMPLE ANALYSIS 2003

$\label{eq:table 2} \mbox{WATER QUALITY PARAMETER SAMPLE LOCATIONS AND RESULTS}$

 $\label{eq:table 2} \mbox{WATER QUALITY PARAMETER SAMPLE LOCATIONS AND RESULTS}$

Type	System ID#	Location	Lead mg/l	Copper mg/l
Source	W-6B	(b) (6)	ND	ND
Source	W-79	(b) (9)	ND	ND
Source	W-83A		ND	ND
Source	W-86		ND	ND
Source	W-89		ND	ND
Source	W-91		ND	ND
Source	W-97		ND	ND
Source	W-99		ND	ND
Source	W-131		ND	ND
Source	W-133		ND	ND
Source	W-136		ND	ND
Source	W-141		ND	ND
Source	W-143		ND	ND
Source	W-150		ND	ND
Source	W-163		ND	ND
Source	W-169		ND	ND
Source	W-171-1		ND	ND
Source	W-178		ND	ND
Source	W-181		ND	ND

TABLE 2 WATER QUALITY PARAMETER SAMPLE LOCATIONS AND RESULTS

Туре	System ID #	Location	Lead mg/l	Copper mg/l
Dist	W2D54	(b) (6)	0.0025	ND
Dist	W2A11		0.0025	0.15
Dist	W2A13		ND	ND
Dist	W2C43		0.0025	0.060
Dist	W5D52		0.0025	0.025
Dist	W5D58		0.0025	ND
Dist	E7D91		0.0080	ND
Dist	E4A22		0.037	0.025
Dist	E4B45		0.010	0.14
Dist	E3A19		0.010	0.025
Dist	E4C47		0.0090	0.025
Dist	E3B44		0.019	ND
Dist	E3D93		0.0060	0.025
Dist	E7A14		0.010	0.025
Dist	E8D48		0.016	0.060

SAMPLE SITE IDENTIFICATION AND CERTIFICATION STATE FORM 141-R LEAD AND COPPER MONITORING SUMMARY CHANGE OF SAMPLING SITES

Type	System ID #	Location	Justification
Source Source	W-83A W-150 W-163	(b) (6) (b) (9)	Proximity to area served Proximity to area served Proximity to area served
Source	W-171-1		Proximity to area served
Dist Dist Dist	W2A13 W5D58 E4A22		Proximity to area served Proximity to area served Proximity to area served
Dist Dist	E7A14 E8D48		Proximity to area served Proximity to area served

TABLE 3 TAP WATER SAMPLE ANALYSIS SUMMER 2003

TABLE 3 TAP WATER SAMPLE ANALYSIS (LEAD)—SUMMER 2003

#	Rank	mg/l	#	Rank	mg/l	#	Rank	mg/l
120	50	0.005	10	32	0	115	14	0
140	49	0.0025	01	31	0	88	13	0
124	48	0.0025	03	30	0	158	12	0
111	47	0.0025	02	29	0	131	11	0
156	46	0.0025	165	28	0	21	10	0
130	45	0.0025	87	27	0	107	9	0
61	44	0	52	26	0	157	8	0
168	43	0	40	25	0	139	7	0
134	42	0	86	24	0	142	6	0
159	41	0	98	23	0	143	5	0
148	40	0	57	22	0	136	4	0
147	39	0	36	21	0	79	3	0
129	38	0	105	20	0	20	2	0
42	37	0	58	19	0	71	1	0
164	36	0	39	18	0			
83	35	0	84	17	0			
51	34	0	76	16	0			
67	33	0	43	15	0			

TABLE 3

TAP WATER SAMPLE ANALYSIS (COPPER)—SUMMER 2003

#	Rank	mg/l	#	Rank	mg/l	#	Rank	mg/l
140	50	0.33	21	32	0.19	61	14	0.090
51	49	0.31	147	31	0.18	157	13	0.090
159	48	0.27	107	30	0.17	57	12	0.080
129	47	0.26	124	29	0.15	87	11	0.070
168	46	0.25	39	28	0.15	58	10	0.070
156	45	0.25	111	27	0.15	165	9	0.060
83	44	0.24	105	26	0.14	42	8	0.025
120	43	0.24	71	25	0.14	03	7	0.025
164	42	0.23	115	24	0.13	02	6	0.025
143	41	0.23	88	23	0.13	52	5	0.025
136	40	0.23	134	22	0.12	98	4	0.025
79	39	0.23	01	21	0.12	43	3	0.025
148	38	0.21	76	20	0.12	131	2	0.025
130	37	0.20	86	19	0.11	20	1	0.025
158	36	0.20	139	18	0.11			
142	35	0.20	40	17	0.10			
67	34	0.19	36	16	0.10			
10	33	0.19	84	15	0.10			

EXHIBIT 1

SAMPLE SITE JUSTIFICATION/COLLECTION METHOD CERTIFICATION

LEAD AND COPPER RULE

SAMPLING REPORT

System's Name: <u>City of Fresno Water Division</u>	Type:	XXX CWS
Address: 1910 E. University Ave	Size: 2	X X X >
100,000 Fresno, CA 93703-2988 50,001 to 100,000	20	
	0	
10,001 to 50,000		
3,301 to 10,000 Telephone Number: (559)621–5300 to 3,300		□ 501
to 500		□ 101
System ID Number: 10–007 100		
Contact Person: Lon Martin Sample	Date(s): <u>6/18</u>	<u>/03 – 8</u> /5/03
SAMPLE SI	TE	
IDENTIFICATION		
Number of sample sites in each category:		
 Single-family structures with copper pipes with lead solder installed or lead pipes; or lead service lines. 	ed after 1982;	
 Multi-family structures with copper pipes with lead solder installed or lead pipes; or lead service lines. 	after 1982;	
 Buildings containing copper pipes with lead solder installed after or lead pipes; or lead service lines. 	1982;	
Single family structures with copper pipes with lead solder installed before 1983. 0	ed	
		Total:
_131		
Number of lead service lines present in the distribution system:	0	=
Number of samples collected from sites served by lead service lines:	0	
The following sources have been explored to determine the number have interior lead pipe or copper pipe with lead solder:	of structures	which

Plumbing and/or building codes.

Interviews with building

inspectors
Plumbing and/or building permits.
about
Contacts with the building department,
was used from
municipal clerk's office, or state regulatory agencies.
Water quality data.

Survey of service area plumbers

when and where lead solder

1982 to present. Survey of residents. Interviews with local contractors

& developers.

The following sources have been explored to determine the number of lead service lines in the distribution system:

Distribution system maps and record drawings.

Capitol improvement plans and/or master plans for distribution system development.

Standard operating procedures and/or operation & maintenance manuals for the types of materials used for service connections.

Utility records including meter installations, customer complaint investigations.

Water quality data.

Interviews with senior personnel.

Conduct service line sampling where lead service lines are suspected to exist.

Review of permit files

Survey of residents.

Interviews with local pipe supplies, contractors and/or developers.

Proximity to area served

RESULTS OF SAMPLING

Results of Lead And Copper Tap Water Samples: (Attach copy of all results to this form.)
Number of tap samples required: 50 90th Percentile Lead level: 90th Percentile Lead le
Number of tap samples collected & submitted: 50 90th Percentile Copper level: 0.25 mg/L
Results of Water Quality Parameter (WQP) Samples: (Complete only if system is required to collect WQP samples.)
Number of WQP samples required to be collected:15
Number of WQP samples collected & submitted:15
Number of WQP entry point samples required to be collected:
Number of WQP entry point samples collected and submitted
CERTIFICATION OF
COLLECTION METHODS
I certify that:
 motionless in plumbing system of each sampling site for at least six hours. Each first draw sample collected from a single-family residence has been collected from the cold water kitchen tap or bathroom sink tap. Each first draw sample collected from a non-residential building has been collected at an interior tap from which water is typically drawn for consumption. Each first draw sample collected during an annual or triennial monitoring period has been collected in months of June, July, August, or September. Each resident who volunteered to collect tap water samples from his or her home has been properly instructed in the proper methods for collecting lead and copper samples. I do not challenge the accuracy of those sampling results. Enclosed is a copy of the material distributed to residents explaining the proper collection methods, and a list of the residents who performed sampling.
CHANGE OF SAMPLING SITES
31123
Original site address: See Attached
New site address: See Attached
Distance between sites (approximately): Less than 1/2 mile
Targeting Criteria: New Site: Tier 1 Old Site: Tier 1 Area served Area served Tier 2 Tier 3 Reason for sample site change:

SIGNATURE: En M. MA	DATE: 2/2/64
Lon Martin	Water System Manager

TABLE 3 TAP WATER SAMPLE ANALYSIS (LEAD)—SUMMER 2003

#	Rank	mg/l	#	Rank	mg/l	#	Rank	mg/l
120	50	0.005	10	32	0	115	14	0
140	49	0.0025	01	31	0	88	13	0
124	48	0.0025	03	30	0	158	12	0
111	47	0.0025	02	29	0	131	11	0
156	46	0.0025	165	28	0	21	10	0
130	45	0.0025	87	27	0	107	9	0
61	44	0	52	26	0	157	8	0
168	43	0	40	25	0	139	7	0
134	42	0	86	24	0	142	6	0
159	41	0	98	23	0	143	5	0
148	40	0	57	22	0	136	4	0
147	39	0	36	21	0	79	3	0
129	38	0	105	20	0	20	2	0
42	37	0	58	19	0	71	1	0
164	36	0	39	18	0			
83	35	0	84	17	0			
51	34	0	76	16	0			
67	33	0	43	15	0			

TABLE 3

TAP WATER SAMPLE ANALYSIS (COPPER)—SUMMER 2003

#	Rank	mg/l	#	Rank	mg/l	#	Rank	mg/l
140	50	0.33	21	32	0.19	61	14	0.090
51	49	0.31	147	31	0.18	157	13	0.090
159	48	0.27	107	30	0.17	57	12	0.080
129	47	0.26	124	29	0.15	87	11	0.070
168	46	0.25	39	28	0.15	58	10	0.070
156	45	0.25	111	27	0.15	165	9	0.060
83	44	0.24	105	26	0.14	42	8	0.025
120	43	0.24	71	25	0.14	03	7	0.025
164	42	0.23	115	24	0.13	02	6	0.025
143	41	0.23	88	23	0.13	52	5	0.025
136	40	0.23	134	22	0.12	98	4	0.025
79	39	0.23	01	21	0.12	43	3	0.025
148	38	0.21	76	20	0.12	131	2	0.025
130	37	0.20	86	19	0.11	20	1	0.025
158	36	0.20	139	18	0.11			
142	35	0.20	40	17	0.10			
67	34	0.19	36	16	0.10			
10	33	0.19	84	15	0.10			

EXHIBIT 2

RESIDENT TAP SAMPLE COLLECTION DIRECTIONS & PROCEDURES

DIRECTIONS--RESIDENT TAP SAMPLE COLLECTION PROCEDURES

These samples are being collected to determine the contribution of household fixtures and pipes and/or solder to the lead and copper levels in tap water. This sampling effort is required by the State of California, Department of Health Services, and is being accomplished through the cooperation of homeowners and residents. The collection procedure is described in detail below:

- 1. On the day prior to collecting the sample thoroughly clean and remove all debris which may have accumulated inside the aerator of your kitchen tap water faucet. Run the tap for 1-2 minutes after cleaning so that no loose debris will impact sampling process.
- 2. <u>Do not use any water for 6-8 hours on your premises prior to sampling.</u> The Water Division recommends that either early mornings (after awakening) or early evenings (after returning from work) are the best sampling times to ensure that the proper water conditions exist.
- 3. The primary kitchen cold water faucet is to be used for sampling. The sample must be 100% from the cold water side of the tap; it can not be a mixture of water "dialed" from both hot and cold service lines. Place the open sample bottle below the faucet and gently open the cold water tap. Slowly fill the sample bottle to the base of the neck and turn off the water. It should take 45-60 seconds to fill the sample bottle.
- 4. Tightly cap the sample bottle and place in the plastic bag provided. Complete the information requested below and place this paper in the plastic bag with the sample bottle.
- 5. Place the sample outside your home for pick-up Monday, June 23rd by 8:00 AM.
- 6. Results from this monitoring effort will be provided to participating customers when reports are generated for the State of California, Department of Health Services.

Please call Bill Dunn at 621-5365 if you have any questions regarding these instructions. Saturday & Sunday 6-21 & 6-22-03 telephone calls will be monitored hourly 7AM-7PM!! TO BE COMPLETED BY RESIDENT AND RETURNED WITH SAMPLE:

TIME	DATE
TIME	_ DATE
nd have taken a tap sample	e in accordance with these directions.
	JREPHONE
ER DIVISION EMPLOYE	
	TIME sample sample SIGNATU

EXHIBIT 3

TAP WATER SAMPLE ANALYSIS MASTER LISTING

EXHIBIT 4 SOURCE SAMPLE LISTING FOR ENTIRE CITY




EXHIBIT 5 DISTRIBUTION SAMPLE LISTING FOR ENTIRE CITY

APPENDIX A

INSTRUCTIONS AND RESIDENT CHAIN OF CUSTODY

DIRECTIONS--RESIDENT TAP SAMPLE COLLECTION PROCEDURES

These samples are being collected to determine the contribution of household fixtures and pipes and/or solder to the lead and copper levels in tap water. This sampling effort is required by the State of California, Department of Health Services, and is being accomplished through the cooperation of homeowners and residents. The collection procedure is described in detail below:

- 1. On the day prior to collecting the sample thoroughly clean and remove all debris which may have accumulated inside the aerator of your kitchen tap water faucet. Run the tap for 1-2 minutes after cleaning so that no loose debris will impact sampling process.
- 2. <u>Do not use any water for 6-8 hours on your premises prior to sampling.</u> The Water Division recommends that either early mornings (after awakening) or early evenings (after returning from work) are the best sampling times to ensure that the proper water conditions exist.
- 3. The primary kitchen cold water faucet is to be used for sampling. The sample must be 100% from the cold water side of the tap; it can not be a mixture of water "dialed" from both hot and cold service lines. Place the open sample bottle below the faucet and gently open the cold water tap. Slowly fill the sample bottle to the base of the neck and turn off the water. It should take 45-60 seconds to fill the sample bottle.
- 4. Tightly cap the sample bottle and place in the plastic bag provided. Complete the information requested below and place this paper in the plastic bag with the sample bottle.
- 5. Place the sample outside your home for pick-up Monday, June 23rd by 8:00 AM.
- 6. Results from this monitoring effort will be provided to participating customers when reports are generated for the State of California, Department of Health Services.

Please call Bill Dunn at 621-5365 if you have any questions regarding these instructions. Saturday & Sunday 6-21 & 6-22-03 telephone calls will be monitored hourly 7AM-7PM!! TO BE COMPLETED BY RESIDENT AND RETURNED WITH SAMPLE:

Water was last used:	TIME_	12:00 A1	M DATE_	6/24	
Sample was collected:	TIME_	4:00 Ar	M DATE_	6/24	
I have read the above directions and (b) (6) PRINT ADDR	have take	en a tap sampl	e in accordan	ce with these dire	ctions.
TO BE COMPLETED BY WATER Sample picked up by S. woodSh:\prd\sproj\wq\lead\03sample.wpd		ON EMPLOYI Time		Date 06-24.	03

APPENDIX B

DISTRIBUTION SYSTEM RESULTS

APPENDIX C

SOURCE WATER RESULTS

	GEI	NERAL MINERA	L & PHYS	CAL & INORGANI	IC ANAL	YSIS (3)	703)	
Laborat	Report: 03/0 cory 3SK ANALYTICAL		ES	Authorized Signature:	Se	Achil	No. 2003061	.597-33629)
Name of	Sampler: Dar	rin Childer	`s	Employed By:	Fresh	o City N	Water Divis	ion
	me Sample ced: 03/06/24/		Date/Time Received:	e Sample 03/06/24/1310		ate Ana Complete	llyses ed: 03 07 01	
Name or	Name: FRESNO, Number of Sa	mple Source	: WELL 0	06B - RAW	NATION AND POST SIZE AND AND AND AND		System	#: 101000
4 5000 0000	*******	**********	******	*******	******	******	******	******
User II	n: AGE ime of Sample:	0310612411	0581				n Number: 1 Laboratory	
Date, 11	ine of bampie.	05 00 21 1	.030		Date		s Completed	
Submitt	ed by:				Phone			
******	*********	*********	******	*******	******	******	*******	*****
PAGE 1	OF 1	IN	ORGANIC	CHEMICALS				
MCL	REPORTING UNITS		CHEMI	CAL		ENTRY#	ANALYSIS RESULTS	DLR
1000	ua/I, + Co	opper (Cu)				11042	ИП	5.0

Lead (Pb)

 $\mu g/L$

ND

5.

01051

⁺ Indicates Secondary Drinking Water Standards

^{* 250-500-600 ** 900-1600-2200 *** 500-1000-1500}

GENERAL MINERAL & PHYSICAL & INORGANIC ANALYSIS (3/03)

Laborat	E Report: 03/07/07 cory BSK ANALYTICAL LAE		Authorized Signature:	Sample: Pachu	10 No. 200306	1601-33631
Name of	Sampler: Steve V	Voods	Employed By:	Fresno City	Water Divis	ion
	ime Sample ced: 03/06/24/0900	Date/Time Received:		Date Ar Complet	nalyses ced: 03 07 03	L
-	Name: FRESNO, CIT		79 - RAW		System	#: 101000
******	*********	********	******	*******	*******	******
User II Date/Ti	D: AGE ime of Sample: 03	06 24 0900			on Number: 1 Laboratory	Code: 581
				Date Analy	sis Complete	d: 03 07 0
Submitt	ced by:			Phone #: _		
******	********	********	*******	*******	*********	*********
PAGE 1	OF 1	INORGANIC	CHEMICALS			
MCL	REPORTING UNITS	CHEMI	CAL	ENTRY	ANALYSIS RESULTS	DLR
1000	μg/L + Copper	(Cu)		01042	ND	50.

01051

Lead (Pb)

μg/L

ND

5.

⁺ Indicates Secondary Drinking Water Standards

^{* 250-500-600 ** 900-1600-2200 *** 500-1000-1500}

⁺ Indicates Secondary Drinking Water

GENERAL MINERAL & PHYSICAL & INORGANIC ANALYSIS (3/03)

. n + n	of	Repor	+ .	02	107	107
Jale	OT	Kepor	L:	03/	0/	101

Laboratory

Name: BSK ANALYTICAL LABORATORIES

Authorized

Sample ID No.2003061597-336290

Signature:

Name of Sampler: Darrin Childers

Employed By: Fresno City Water Division

Date/Time Sample

Collected: 03/06/24/0900

Date/Time Sample

Received: 03/06/24/1310

Date Analyses

Completed: 03 | 07 | 01

System Name: FRESNO, CITY OF

Name or Number of Sample Source: WELL 083A - RAW

System #: 1010007

User ID: AGE

Date/Time of Sample: 03 06 24 0900

Station Number: 1010007-217

Laboratory Code: 5810

Date Analysis Completed: 03 07 01

Submitted by:

Phone #:

PAGE 1 OF 1

INORGANIC CHEMICALS

MCL	REPORTING UNITS	CHEMICAL	ENTRY#	ANALYSIS RESULTS	DLR
1000	μg/L +	Copper (Cu)	01042	ND	50.
	μg/L	Lead (Pb)	01051	ND	5.

^{* 250-500-600 ** 900-1600-2200 *** 500-1000-1500}

GENERAL MINERAL & PHYSICAL & INORGANIC ANALYSIS (3/03)

Laborat Name: E	BSK ANALYTIC	/07/07 AL LABORATOR		Authorized Signature: Employed By:	Sample I Railul Fresno City	,		
	me Sample ced: 03/06/2		Date/Time Received:	Sample 03/06/24/1310	Date Analyses Completed: 03 07 01			
7.0	Name: FRESN Number of	O, CITY OF Sample Source	ce: WELL 08	36 - RAW		System	#: 1010007	
*****	******	******	*******	*******	******	******	******	
User ID Date/Ti		e: 03 06 24	1012			on Number: 1 Laboratory is Completed	Code: 5810	
Submitt	ed by:				Phone #:			
*******	*******	*******	******	*******	**********	******	*******	
PAGE 1	OF 1	î	INORGANIC (CHEMICALS				
MCL	REPORTING UNITS		CHEMI	CAL	ENTRY#	ANALYSIS RESULTS	DLR	
1000		Copper (Cu) Lead (Pb)			01042 01051	ND ND	50. 5.	

⁺ Indicates Secondary Drinking Water Standards

^{* 250-500-600 ** 900-1600-2200 *** 500-1000-1500}

GENERAL MINERAL & PHYSICAL & INORGANIC ANALYSIS (3/03)

Laborat	Report: 03/0 ory SK ANALYTICAI	.0	RIES	Authorized Signature:		Sample II	0 NO.2003061 Wiley	L597-33629
Name of	Sampler: Dan	rrin Childe	ers	Employed By:	Fresi	no City	Water Divis	ion
	me Sample ed: 03/06/24,		Date/Time Received:	Sample 03/06/24/1310		Date Ana Complete	alyses ed: 03 07 01	L
-	Name: FRESNO Number of Sa		ce: WELL 0	89A INF			System	#: 1010007
******	******	*****	******	*******	*****	******	******	******
User ID							on Number: 1	
Date/Ti	me of Sample	: 03 06 24	1035		Date		Laboratory is Completed	
Submitt	ed by:				Phone			a. 03 07 0
******	******	******	******	*******	*****	*****	******	******
PAGE 1	OF 1	I	NORGANIC (CHEMICALS				
MCL	REPORTING UNITS		CHEMI	CAL		ENTRY#	ANALYSIS RESULTS	DLR
1000	μg/L + C	opper (Cu)				01042	ND	50.

μg/L Lead (Pb)

ND

5.

01051

⁺ Indicates Secondary Drinking Water Standards

^{* 250-500-600 ** 900-1600-2200 *** 500-1000-1500}

⁺ Indicates Secondary Drinking Water

BSK ANALYTICAL LABORATORIES

Bob Little Fresno City Water Division 1910 E. University Ave. Fresno, CA 93703 Certificate of Analysis ELAP Certificate #1180

Report Issue Date: 06/27/2003

BSK Submission #: 2003061560

BSK Sample ID #: 336055

Project ID: 1010007

Project Desc:

Submission Comments:

Sample Type: Sample Description:

Liquid Well #91

Sample Comments:

Date Sampled: 06/23/2003 Time Sampled: 1410

Date Received: 06/23/2003

Inorganics							Prep	Analysis
Analyte	Method	Result	Units	PQL	Dilution	DLR	Date	Date
Copper (Cu)	EPA 200.8	ND	mg/L	0.01	1	0.01	06/23/03	06/26/03
Lead (Pb)	EPA 200.8	ND	mg/L	0.001	1	0.001	06/23/03	06/26/03
Turbidity	SM 2130-B	ND	NTU	0.1	1	0.1	06/26/03	06/26/03

mg/L: Milligrams/Liter (ppm) mg/Kg: Milligrams/Kilogram (ppm) µg/L: Micrograms/Liter (ppb)

μg/Kg: Micrograms/Kilogram (ppb) %Rec: Percent Recovered (surrogates) PQL: Practical Quantitation Limit DLR: Detection Limit for Reporting

: PQL x Dilution

ND: None Detected at DLR

H: Analyzed outside of hold time

P: Preliminary result

S: Suspect result. See Cover Letter for comments.

E: Analysis performed by External laboratory. See External Laboratory Report attachments.

GENERAL MINERAL & PHYSICAL & INORGANIC ANALYSIS (3/03)

Date of Report: 03/07/07

Laboratory

Name: BSK ANALYTICAL LABORATORIES

Authorized

Signature:

Sample ID No.2003061601-336319

Employed By: Fresno City Water Division

Date/Time Sample

Collected: 03/06/24/0920

Date/Time Sample

Received: 03/06/24/1353

Date Analyses

Completed: 03 | 07 | 01

System Name: FRESNO, CITY OF

Name of Sampler: Steve Woods

Name or Number of Sample Source: WELL 097 - RAW

System #: 1010007

User ID: AGE

Date/Time of Sample: 03 06 24 0920

Station Number: 1010007-231

Laboratory Code: 5810

Date Analysis Completed: 03 | 07 | 01

Submitted by:

Phone #:

PAGE 1 OF 1

INORGANIC CHEMICALS

MCL	REPORTING UNITS	CHEMICAL	ENTRY#	ANALYSIS RESULTS	DLR
1000	μg/L +	Copper (Cu)	01042	ND	50.
	μg/L	Lead (Pb)	01051	ND ND	5.

^{* 250-500-600 ** 900-1600-2200 *** 500-1000-1500}

⁺ Indicates Secondary Drinking Water

BSK ANALYTICAL LABORATORIES

Bob Little Fresno City Water Division 1910 E. University Ave. Fresno, CA 93703 Certificate of Analysis ELAP Certificate #1180

Report Issue Date: 06/27/2003

BSK Submission #: 2003061560 BSK Sample ID #: 336056

Project ID: 1010007

Project Desc:

Submission Comments:

Sample Type: Sample Description: Liquid Well #99

Sample Comments:

Date Sampled: 06/23/2003 Time Sampled: 1420

Date Received: 06/23/2003

Inorganics							Prep	Analysis
Analyte	Method	Result	Units	PQL	Dilution	DLR	Date	Date
Copper (Cu)	EPA 200.8	ND	mg/L	0.01	1	0.01	06/23/03	06/26/03
Lead (Pb)	EPA 200.8	ND	mg/L	0.001	1	0.001	06/23/03	06/26/03
Turbidity	SM 2130-B	ND	NTU	0.1	1	0.1	06/26/03	06/26/03

mg/L: Milligrams/Liter (ppm) mg/Kg: Milligrams/Kilogram (ppm) µg/L: Micrograms/Liter (ppb) µg/Kg: Micrograms/Kilogram (ppb)

%Rec: Percent Recovered (surrogates)

PQL: Practical Quantitation Limit DLR: Detection Limit for Reporting

: PQL x Dilution ND: None Detected at DLR H: Analyzed outside of hold time

P: Preliminary result

S: Suspect result. See Cover Letter for comments.

E: Analysis performed by External laboratory. See External Laboratory Report attachments.

GENERAL MINERAL & PHYSICAL & INORGANIC ANALYSIS (3/03)

uate	of	Report:	03/	07/	07	
------	----	---------	-----	-----	----	--

Laboratory

Name: BSK ANALYTICAL LABORATORIES

Authorized

Signature:

Name of Sampler: Darrin Childers

Employed By: Fresn City Water Division

np city water bivis

Date/Time Sample

Collected: 03/06/24/1042

Date/Time Sample Received:03/06/24/1310 Date Analyses

Completed: 03 | 07 | 01

System Name: FRESNO, CITY OF

Name or Number of Sample Source: WELL 131 - RAW

System #: 1010007

User ID: AGE

Date/Time of Sample: 03 06 24 1042

Station Number: 1010007-261

Sample ID No.2003061597-336296

Laboratory Code: 5810

Date Analysis Completed: 03 07 01

Submitted by:

Phone #:

PAGE 1 OF 1

INORGANIC CHEMICALS

MCL	REPORTING UNITS		CHEMICAL	ENTRY#	ANALYSIS RESULTS	DLR
1000	μg/L +	Copper (Cu)		01042	ND	50.
	μ g/L	Lead (Pb)		01051	ND	5.

^{* 250-500-600 ** 900-1600-2200 *** 500-1000-1500}

GENERAL MINERAL & PHYSICAL & INORGANIC ANALYSIS (3/03)

Laboratory Name: BSK		/07/07 AL LABORATOR	RIES	Authorized Signature:	Par	hel l	NO.2003061 Wilrex	
Name of Sa	mpler: D	arrin Childe	ers	Employed By:	Fresno Ci	ty Wa	ater Divis	ion
Date/Time Collected:			Date/Time Received:	e Sample 03/06/24/1310	Date Compl		yses 1: 03 07 01	
System Nam Name or Nu		O, CITY OF Sample Sourc	e: WELL 1	33 - RAW			System	#: 1010007
******	******	******	******	******	**********	*****	*******	*********
User ID: A Date/Time		e: 03 06 24	0943			L	Number: 1 aboratory Completed	Code: 5810
Submitted :	by:				Phone #:			
******	******	******	******	******	******	*****	******	******
PAGE 1 OF	1	I	NORGANIC (CHEMICALS				
	PORTING UNITS		CHEMI	CAL	ENTR	RY#	ANALYSIS RESULTS	DLR
1000		Copper (Cu) Lead (Pb)			01042 01051		ND	50. 5.

⁺ Indicates Secondary Drinking Water Standards

^{* 250-500-600 ** 900-1600-2200 *** 500-1000-1500}

⁺ Indicates Secondary Drinking Water

GENERAL MINERAL & PHYSICAL & INORGANIC ANALYSIS (3/03)

ate	o f	Repo	rt:	03/	07	107

Laboratory

Name: BSK ANALYTICAL LABORATORIES

Authorized Signature:

Sample ID No.2003061601-336315

Name of Sampler: Steve Woods

Employed By: Fresno City Water Division

Date/Time Sample

Collected: 03/06/24/0825

Date/Time Sample

Received: 03/06/24/1353

Date Analyses

Completed: 03 | 07 | 01

System Name: FRESNO, CITY OF

Name or Number of Sample Source: WELL 136 - RAW

System #: 1010007

User ID: AGE

Date/Time of Sample: 03 06 24 0825

Station Number: 1010007-270

Laboratory Code: 5810

Date Analysis Completed: 03 07 01

Submitted by:

Phone #:

PAGE 1 OF 1

INORGANIC CHEMICALS

MCL	REPORTING UNITS	CHEMICAL	ENTRY#	ANALYSIS RESULTS	DLR
1000	μg/L +	Copper (Cu)	01042	ND	50.
	μg/L	Lead (Pb)	01051	ND	5.

^{* 250-500-600 ** 900-1600-2200 *** 500-1000-1500}

GENERAL MINERAL & PHYSICAL & INORGANIC ANALYSIS (3/03)

	GLIVLI	CHI MINDICHD & THIS	ICALI & INORGANI	C ANALISIS (5)	7037	
Laborat	Report: 03/07/ cory BSK ANALYTICAL L		Authorized Signature:	/ 17	No. 2003061	601-33631
Name of	Sampler: Steve	Woods	Employed By:	Fresho City	Water Divis	ion
		Date/Tim 50 Received		Date Ana Complete		
· · · · · · · · · · · · · · · · · · ·	Name: FRESNO, C Number of Samp	ITY OF le Source: WELL I	L41 - RAW	8 11 14 15 15 15 15 15 15 15 15 15 15 15 15 15	System	#: 1010007
******	*********	*********	*******	*******	******	******
User II Date/Ti	D: AGE ime of Sample: 0	3 06 24 0850			n Number: 1 Laboratory is Completed	Code: 5810
Submitt	ed by:			Phone #:		
******	*******	********	*******	*******	******	******
PAGE 1	OF 1	INORGANIC	CHEMICALS			
MCL	REPORTING UNITS	СНЕМ	ICAL	ENTRY#	ANALYSIS RESULTS	DLR
1000	μg/L + Copp	er (Cu)		01042	ND	50.

Lead (Pb)

μg/L

ND

5.

01051

⁺ Indicates Secondary Drinking Water Standards

^{* 250-500-600 ** 900-1600-2200 *** 500-1000-1500}

⁺ Indicates Secondary Drinking Water

GENERAL MINERAL & PHYSICAL & INORGANIC ANALYSIS (3/03)

Date of Report: 03/07/07	Jate	of	Report:	03/	07/	107
--------------------------	------	----	---------	-----	-----	-----

Laboratory

Name: BSK ANALYTICAL LABORATORIES

Authorized Signature:

Sample ID No.2003061597-336292

Name of Sampler: Darrin Childers

Employed By: Fresho City Water Division

Date/Time Sample

Collected: 03/06/24/0955

Date/Time Sample

Received: 03/06/24/1310

Date Analyses

Completed: 03 07 01

System Name: FRESNO, CITY OF

Name or Number of Sample Source: WELL 143 - RAW

System #: 1010007

User ID: AGE

Date/Time of Sample: 03 | 06 | 24 | 0955 |

Station Number: 1010007-268

Laboratory Code: 5810

Date Analysis Completed: 03 | 07 | 01

Submitted by:

Phone #:

PAGE 1 OF 1

INORGANIC CHEMICALS

MCL	REPORTING UNITS	CHEMICAL	ENTRY#	ANALYSIS RESULTS	DLR
1000	μg/L +	Copper (Cu)	01042	ND	50
	μq/L	Lead (Pb)	01051	ND	5.

^{* 250-500-600 ** 900-1600-2200 *** 500-1000-1500}

GENERAL MINERAL & PHYSICAL & INORGANIC ANALYSIS (3/03)

Laborat Name: I	Report: 03/0 cory BSK ANALYTICAL Sampler: Dar	LABORATORIE			Rachel	1	
	ime Sample		ate/Time Sample		Date Ana		1011
	ced: 03/06/24/		eceived: 03/06/24/131			ed: 03 07 0	1
	Name: FRESNO, Number of Sa		: WELL 150 - RAW			System	#: 1010007
User II Date/Ti	o: AGE ime of Sample:	03 06 24 10	025	*********** Date		*************** n Number: I Laboratory is Complete	Code: 5810
Submitt	ed by:			Phone	e #:		in the second
******	********	*******	*********	*******	*******	*******	******
PAGE 1	OF 1	INC	ORGANIC CHEMICALS				
MCL	REPORTING UNITS		CHEMICAL		ENTRY#	ANALYSIS RESULTS	DLR
1000	μg/L + Co μg/L Le	opper (Cu) ead (Pb)			01042 01051	ND ND	

^{* 250-500-600 ** 900-1600-2200 *** 500-1000-1500}

GENERAL MINERAL & PHYSICAL & INORGANIC ANALYSIS (3/03)

Laborat Name: E	Report: 03/ cory SSK ANALYTICA Sampler: Da	AL LABORATOR		Authorized Signature: Employed By:	_	Lactul (No.2003061 Wilsy Water Divis	
그 집에 가이지 않는 이 사람들이 그리지 않는	me Sample ced: 03/06/24		Date/Time Received:	e Sample 03/06/24/1310	,	Date Ana Complete	alyses ed: 03 07 01	9.61
	Name: FRESNO Number of S		ce: WELL 1	63 - RAW	=====		System	#: 1010007
*****	******	*******	*****	******	*****	*****	******	*****
User II Date/Ti	O: AGE ime of Sample	e: 03 06 24	1233 •		Dat		n Number: 1 Laboratory is Completed	Code: 5810
Submitt	ted by:				Phon	e #:		
*****	******	******	******	*******	*****	*******	******	*****
PAGE 1	OF 1]	NORGANIC (CHEMICALS				
MCL	REPORTING UNITS		CHEMI	CAL		ENTRY#	ANALYSIS RESULTS	DLR
1000	, 3.	Copper (Cu) Lead (Pb)				01042 01051	ND ND	50. 5.

⁺ Indicates Secondary Drinking Water Standards

^{* 250-500-600 ** 900-1600-2200 *** 500-1000-1500}

BSK ANALYTICAL LABORATORIES

Bob Little Fresno City Water Division 1910 E. University Ave. Fresno, CA 93703

Certificate of Analysis **ELAP Certificate #1180**

Report Issue Date: 06/27/2003

BSK Submission #: 2003061560

BSK Sample ID #: 336057

Project ID: 1010007

Project Desc:

Submission Comments:

Sample Type:

Liquid

Sample Description: Sample Comments:

Well #169

Time Sampled: 1440

Date Sampled: 06/23/2003

Date Received: 06/23/2003

Inorganics							Prep	Analysis
Analyte	Method	Result	Units	PQL	Dilution	DLR	Date	Date
Copper (Cu)	EPA 200.8	ND	mg/L	0.01	1	0.01	06/23/03	06/26/03
Lead (Pb)	EPA 200.8	ND	mg/L	0.001	1	0.001	06/23/03	06/26/03
Turbidity	SM 2130-B	ND	NTU	0.1	1	0.1	06/26/03	06/26/03

mg/L: Milligrams/Liter (ppm) mg/Kg: Milligrams/Kilogram (ppm) μg/L: Micrograms/Liter (ppb)

μg/Kg: Micrograms/Kilogram (ppb)

%Rec: Percent Recovered (surrogates)

PQL: Practical Quantitation Limit DLR: Detection Limit for Reporting

: PQL x Dilution ND: None Detected at DLR H: Analyzed outside of hold time

P: Preliminary result

S: Suspect result. See Cover Letter for comments.

E: Analysis performed by External laboratory. See External Laboratory Report attachments.

BSK ANALYTICAL LABORATORIES

Bob Little Fresno City Water Division 1910 E. University Ave. Fresno, CA 93703 Certificate of Analysis ELAP Certificate #1180

Report Issue Date: 06/27/2003

BSK Submission #: 2003061560

BSK Sample ID #: 336054

Project ID: 1010007

Project Desc:

Submission Comments:

Sample Type: Sample Description: Liquid Well #171-1

Sample Comments:

Date Sampled: 06/23/2003 Time Sampled: 1400

Date Received: 06/23/2003

Inorganics							Prep	Analysis
Analyte	Method	Result	Units	PQL	Diluti	on DLR	Date	Date
Copper (Cu)	EPA 200.8	ND	mg/L	0.01	1	0.01	06/23/03	06/26/03
ead (Pb)	EPA 200.8	ND	mg/L	0.001	1	0.001	06/23/03	06/26/03
urbidity	SM 2130-B	ND	NTU	0.1	1	0.1	06/26/03	06/26/03

mg/L: Milligrams/Liter (ppm) mg/Kg: Milligrams/Kilogram (ppm) μg/L: Micrograms/Liter (ppb)

μg/Kg: Micrograms/Kilogram (ppb) %Rec: Percent Recovered (surrogates) PQL: Practical Quantitation Limit

DLR: Detection Limit for Reporting : PQL x Dilution

ND: None Detected at DLR

H: Analyzed outside of hold time

P: Preliminary result

S: Suspect result. See Cover Letter for comments.

E: Analysis performed by External laboratory. See External Laboratory Report attachments.

GENERAL MINERAL & PHYSICAL & INORGANIC ANALYSIS (3/03)

ate	of	Report:	03/	07/	07
	O 1	TOPOTO.	001	01/	0 /

Laboratory

Name: BSK ANALYTICAL LABORATORIES

Authorized

Signature:

Name of Sampler: Darrin Childers

Employed By: Fresno City Water Division

Date/Time Sample

Collected: 03/06/24/1122

Date/Time Sample

Received: 03/06/24/1310

Date Analyses

Completed: 03 | 07 | 01

System Name: FRESNO, CITY OF

Name or Number of Sample Source: WELL 178

System #: 1010007

User ID: AGE

Date/Time of Sample: 03 | 06 | 24 | 1122 |

Station Number: 1010007-296

Sample ID No.2003061597-336299

Laboratory Code: 5810

Date Analysis Completed: 03 | 07 | 01

Submitted by:

Phone #:

PAGE 1 OF 1

INORGANIC CHEMICALS

MCL	REPORTING UNITS	CHEMICAL	ENTRY#	ANALYSIS RESULTS	DLR
1000	μ g/L +	Copper (Cu)	01042	ND	50.
	$\mu g/L$	Lead (Pb)	01051	ND	5.

^{* 250-500-600 ** 900-1600-2200 *** 500-1000-1500}

GENERAL MINERAL & PHYSICAL & INORGANIC ANALYSIS (3/03)

Late of Report: 03/07/07

Laboratory

Name: BSK ANALYTICAL LABORATORIES

Authorized

Signature:

Name of Sampler: Darrin Childers

Employed By: Fresno City Water Division

Date/Time Sample

Collected: 03/06/24/1051

Date/Time Sample

Received: 03/06/24/1310

Date Analyses

Completed: 03 | 07 | 01

System Name: FRESNO, CITY OF

Name or Number of Sample Source: WELL 181 - RAW

System #: 1010007

User ID: AGE

Date/Time of Sample: 03 | 06 | 24 | 1051|

Station Number: 1010007-345

Sample ID No.2003061597-336297

Laboratory Code: 5810

Date Analysis Completed: 03 07 01

Submitted by:

Phone #:

PAGE 1 OF 1

INORGANIC CHEMICALS

MCL	REPORTING UNITS	CHEMICAL	ENTRY#	ANALYSIS RESULTS	DLR
1000	μg/L +	Copper (Cu)	01042	ND	50.
	μg/L	Lead (Pb)	01051	ND	5.

^{* 250-500-600 ** 900-1600-2200 *** 500-1000-1500}

APPENDIX D

RESIDENT SAMPLE SITE RESULTS

APPENDIX E CHAIN OF CUSTODY

1414 Stanislaus, Fresno CA 93706

(559) 497-2888, (800) 877-8310, FAX (559) 485-6935

Fresno City Water Div. Report Attention

Cily, State, Zip

Fresno, CA 93703

Copy to:

Project, Quote or PO #

quole #590

System #

1010007

505 515.1 525.1

531.1 547

548 549 Fluoride

10a

Ruile

Bob Little

Phone FAX

1910 E. University Ave.

Lab Use Only

Sampling Info

Sampled by:

Time

Sample Description / Location

#C

80/03 0830

生い

۸ddress

2003061968

630016

06/30/2003

Laboratory Chain of Custody

TAT: Standard

Comment or Station Code 498-4122 (Bonnle) (559) 498-2589 ISTATE FORMS EX to Local DHS, Attn: Carl Carlucci Rush Priority (1-Day, 2-Day, 5-Day) 502.2 1504.1 3-DAY 504 NITRATE (NO3) ARSENIC (As) GenMin/Inorg/GenPhys

QC Report Type: Level [] 2 [] 3 [] 4 Notice: Payment for services randored as noted hordin are due within 30 seys tog The invoice date. If not so paid, account belances are decimed deliquent belances are subject to monthly services to believe thinge charges and interest calculated it 1.5% per month. Reliquished by: Client/Company expr 18% per annum. BSF Received by: nciates shall be entitled to recover on deliquent escourts, casts of collections, including attorney's fees inc nowledges that they are either the Client or authorized agent of the Company. 發作自任何期間 | 四時所存付時代的過程以1920回9的時間的時代可以1920年11月 | 1920年11月 | 1920日 | 1920年12月 | MART CS COUR WSOL Formal COC Required: [] whor to or in liligation whether concluded by judgment, sailtlement, compromise or otherwise. The person strong for the City of Fresno, Water Division Additional Services authorized by: 1889 130/03 30/03 湖川湖

H:\prd\h20qua\\samples\coc-t22-bsk Last Modified 13 Mar 2001

LENTX KOC